

[ I (WE) CLAIM:

1. An adjustable automobile seat cover capable of conforming to a high-back or low-back automobile seat, the cover comprising:

a seat portion having a surface panel and a side panel affixed to the surface panel;

a back portion having a forward panel, and upper and lower rear panels, each panel having top, bottom and side edges, the upper rear panel affixed to the forward panel along the top and side edges of each, the lower rear panel affixed to the forward panel along the side edges of each, the bottom edge of the upper rear panel extending below the top edge of the lower rear panel; and

a plurality of securing straps for securing the cover to the seat, including first spaced-apart securing straps extending from the upper edge of the top rear panel, and one or more second securing straps extending from the bottom edge of the top rear panel.

2. The seat cover of claim 1 wherein said surface and forward panels are formed of an inelastic material.

3. The seat cover of claim 2 wherein said inelastic material is sheepskin.

4. The seat cover of claim 1 wherein said upper and lower rear panels are formed of an elastic material.

5. The seat cover of claim 1 further comprising means for constricting the top edge of the lower rear panel.

6. The seat cover of claim 5 wherein said constricting means comprises a drawstring.

7. The seat cover of claim 6 further comprising a sleeve affixed to the top edge of the rear panel, wherein the sleeve contains the drawstring.

8. The seat cover of claim 1 further comprising a pocket lining extending from the bottom edge of the upper rear panel to the top edge of the lower rear panel.

9. An adjustable automobile seat cover capable of conforming to a high-back or low-back automobile seat, the cover comprising:

a seat portion having a surface panel and a side panel affixed to the surface panel;

a back portion having a forward panel, and upper and lower rear panels, each panel having top, bottom and side edges, the upper rear panel affixed to the forward panel along the top and side edges of each, the lower rear panel affixed to the forward panel along the side edges of each, the bottom edge of the upper rear panel extending below the top edge of the lower rear panel;

a plurality of securing straps for securing the cover to the seat, including first spaced-apart securing straps extending from the upper edge of the top rear panel, and one or more second securing straps extending from the bottom edge of the top rear panel; and

a drawstring for constricting the upper edge of the lower rear panel, the drawstring extending through a sleeve affixed to the top edge of the lower rear panel.

10. The seat cover of claim 9 wherein said surface and forward panels are formed of an inelastic material.

11. The seat cover of claim 10 wherein said inelastic material is sheepskin.

12. The seat cover of claim 9 wherein said upper and lower rear panels are formed of an elastic material.

13. The seat cover of claim 9 further comprising a pocket lining extending from the bottom edge of the upper rear panel to the top edge of the lower rear panel.

14. An adjustable automobile seat cover capable of conforming to a high-back or low-back automobile seat, the cover comprising:

a seat portion having a surface panel formed of an inelastic material and a side panel formed of an elastic material affixed to the surface panel;

a back portion having a forward panel formed of an inelastic material, and upper and lower rear panels formed of an elastic material, each panel having top, bottom and side edges, the upper rear panel affixed to the forward panel along the top and side edges of each, the lower rear panel affixed to the forward panel along the side edges of each, the bottom edge of the upper rear panel extending below the top edge of the lower rear panel;

a plurality of securing straps for securing the cover to the seat, including first spaced-apart securing straps extending from the upper edge of the top rear panel, and one or more second securing straps extending from the bottom edge of the top rear panel;

a drawstring for constricting the upper edge of the lower rear panel, the drawstring extending through a sleeve affixed to the top edge of the lower rear panel;

and a pocket lining extending from the bottom edge of the upper rear panel to the top edge of the lower rear panel

15. The seat cover of claim 14 wherein said inelastic material is sheepskin.

*add  
A1* >